242-8 YANGJAE-DONG, SEOCHO-GU, SEOUL, 137-132, KOREA TEL: 82-2-555-1040 FAX: 82-2-2057-0399

E-mail: <a href="mailto:export@youngscorp.com">export@youngscorp.com</a> Website: <a href="mailto:www.youngscorp.com">www.youngscorp.com</a>

## 2-Ethyl Hexyl Acrylate

## Major uses

Adhesives, Paint & Ink, Construction Materials, Non Woven Binders

## **Specific Features**

Low Color Refining process are improved for produce the low color. Color is the main quality factor that influence the property of the final products. • Low Acidity Through the multistage refining process, we always maintain low acidity. Acidity is the main quality factor that influence the reaction speed.

Name of higher- level attribute	Name of attribute	Methods of Tests	Conditions of Tests	Unit	Representative value
item	Purity	Gas Chro.		wt%	99.5 Min
	Color	ASTM D1209		АРНА	10 Max
	Acidity				0.007 Max
	Specitic Gravity	ASTM D1298	Hydrometer	20°C/4°C	0.882~0.888
	Water Content	ASTM D1364	Karl-fischer meter	wt%	0.05 Max
	Inhibitor(MEHQ)	ASTM D3125	UV Spectro.	ppm	15 ± 5